YES I WOULD LIKE PERIMETER LIGHTING □



CUSTOM STAR CEILING QUESTIONNAIRE FOR QUOTING

	-	-	etter and give you a more accurate quote, please et you closer to ordering your perfect star ceiling!		
Nan	ne:				
	npany:				
Pho	one:		Email:		
l .	Do you want FLUSH MOUNT ACOUSTIC PANELS or DROP IN "ALL-STAR™" GRID STYLE PANELS?				
			sizes of 2x4 or 2x2 only and are for drop ceiling grids. tic materials and come in black or white.		
	• Acoustic Panels a can be custom cu	_	o right into the dry wall and size.		
	They are wrap many colors. S	ped in fabric, have see color selection	or a ceiling grid if you have a drop down ceiling. e slightly more acoustic properties, and come in sheet for options. s are an extra charge.		
2.	 If you want custom size, what are the dimensions of the ceiling area that will be covered? Consider not going wall to wall-as no room is square A minimum of 1 inch from each wall is recommended if you are not using perimeter lighting. A minimum of 4 inch from each wall is recommended if you are using perimeter lighting. We price per square foot. 				
	ROOM DIMENSION	NSft	in		
	WHAT COLOR?	Black □	Custom Color #		
3.	If you want 2x2 or 2x4 All-Star™ panels:				
	WHAT SIZE?	2x2" □	2x4" □		
	WHAT MATERIAL?	Armstrong □	Acoustic □		
	WHAT COLOR?	Black □	Custom Color 🗆 #		
4.	This is quite st home automa An example of	riking. Color chan tion system via RS	B perimeter/cove lighting to create horizon effect? ge is controlled by a RF remote APP/WiFi or by a 5232 commands. (Control 4, Lutron, Crestron, etc.) ue light around the stars)		

NO THANK YOU □



5.	Are there any obstructions in the work area? Speakers Can Lights Sprinklers Vents Projectors Other						
6.	Would you like added special effects? Pictures of special effects can be seen here: http://epixsky.ca/special-effects.html □ Constellation □ Shooting Star □ Moon (mars or earth print) □ Custom Logo						
	□ Galaxy □ Milky Way □ Saturn						
7. H	ow do you want to control the ceiling? You have 3 options						
	\square Control 4, Crestron, Lutron etc (We integrate with Home systems)						
	□ Dedicated non dimmable light switch for simple on/off control□ Remote for LED perimeter only.						
	☐ Free APP with a Wifi/Blutooth unit (works with apple or Android)						
8.	Would you like to replace your larger obstructive can lights with our Mini Downlights? 3 Watt, 300 Lumen LED Lumi Mini Downlights are the perfect combination of power and design for high quality architectural, commercial and home automation use. http://epixsky.ca/mini-downlight.html						
	☐ YES I WOULD LIKE # MINI DOWNLIGHTS ☐ NO THANK YOU						
9.	Is there anything else on our website that you are interested in that we can quote for you? epiXsky offers many products and customization options that can make your home theater or custom space unlike any other.						
	Please check out the rest of our website at: http://www.epixsky.ca						
	□ I AM INTERESTED IN						
	□ NO THANK YOU, I'M HAPPY WITH MY SELECTION ABOVE						
10.	What will be the <u>delivery</u> address & the contact phone? (we need this to get a freight quote)						
	Delivery Address:						
	City:State:Zip:						
	Delivery Contact Name:						
	Phone: EMAIL FORM						

epiXsky A Division on Impact Lighting Inc.

SPECIFICATION ACOUSTIC PANELS

PROJECT	DATE
TYPE	QTY



FABRIC COLORS FOR ACOUSTIC STAR CEILING PANELS

LIME	CHARTREUSE	CARDINAL	SKY
TEAL	FIR	YELLOW	SAPPHIRE
ORANGE	BLUE PAPIER	WHEAT	★ EGGSHELL
WEDGEWOOD	BALTIC	CRYSTAL BLUE	* WHITE
GREY MIX	★ MEDIUM GREY	QUARTZ	AQUAMARINE
OPAL	CHERRY NEUTRAL	BLUE NEUTRAL	GREEN NEUTRAL
VANILLA NEUTRAL	APRICOT NEUTRAL	LAVENDAR NEUTRAL	SILVER NEUTRAL
* BLACK	CLARET ACCENT	COBALT	CINNABAR
PUMICE	BUFF	BLUE SPRUCE	EUCALYPTUS
ULTRAMARINE	STEEL GREY	PEARL	* BAYBERRY
SILVER PAPIER	★ BLUE PLUM	DEEP BURGUNDY	VERTE PAPIER
STRAW	BONE	DUNE	CEMENT MIX
TERRA	LIGHT MOSS	LEAF	STREAM
DESERT SAND	EARTH	CHOCOLATE	COIN
FLANNEL	MOLESKIN	SUNSHINE	IRIS
	RED	AMETHYST	

SPECIFICATIONS:

CONTENT:

100% post-consumer recycled polyester

WEIGH1

 16.0 ± 0.5 oz./lin. yd.

WIDTH:

66" min. useable

REPEAT: none

BACKING:

none
TREATMENT:

none

CLEANING CODE:

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

PERFORMANCE:

BREAKING STRENGTH (ASTM D5034) 150 lbf min. warp and fill

COLORFASTNESS TO LIGHT (AATCC 16.3 OPTION 3) Grade 4 min. at 40 hours

COLORFASTNESS TO CROCKING (AATCC 8) Grade 4 min. dry & Grade 3 min. wet

FLAMMABILITY ASTM E84 Class I or A.



Terratex is a registered trademark of Duvaltex and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.

(* Standard Colors)

ORDERING

MODEL COLOR

APF - Choose From Above

epiXsky
A Division on Impact Lighting Inc.